

TRIALS Reporting

Comparisons Report

Soybeans - 2014, 2013

Weighed								
Pioneer Product	Pioneer Segment	Comparison Brand	Comparison Product	Comparison Segment	# Comp	Pioneer Yld/BU Adv	Pioneer Mst Adv	AGI/A Adv
900Y81	RR	Asgrow	AG00932	RR2Y/SCN	<a href="#">3</a>	3.2	0.0	32
900Y81	RR	Pioneer	P008T22R2	RR2Y	<a href="#">14</a>	-1.1	-0.1	-11
900Y81	RR	Pioneer	P01T23R	RR	<a href="#">39</a>	-1.2	0.1	-12
900Y81	RR	Pioneer	P03T68R2	RR2Y	<a href="#">18</a>	-2.9	0.1	-29
P008T22R2	RR2Y	Pioneer	900Y81	RR	<a href="#">14</a>	1.1	0.1	11
P008T22R2	RR2Y	Pioneer	P01T23R	RR	<a href="#">16</a>	0.0	0.2	0
P008T22R2	RR2Y	Pioneer	P03T68R2	RR2Y	<a href="#">11</a>	0.5	0.0	5
P01T23R	RR	Pioneer	900Y81	RR	<a href="#">39</a>	1.2	-0.1	12
P01T23R	RR	Asgrow	AG00932	RR2Y/SCN	<a href="#">3</a>	3.1	-0.1	31
P01T23R	RR	Pioneer	P008T22R2	RR2Y	<a href="#">16</a>	0.0	-0.2	0
P01T23R	RR	Pioneer	P03T68R2	RR2Y	<a href="#">18</a>	-0.3	-0.1	-3
P03T68R2	RR2Y	Mycogen	5G009R2	RR2Y	<a href="#">2</a>	1.2	-0.1	12
P03T68R2	RR2Y	Pioneer	900Y81	RR	<a href="#">18</a>	3.0	-0.1	30
P03T68R2	RR2Y	Pioneer	P008T22R2	RR2Y	<a href="#">11</a>	-0.5	0.0	-5
P03T68R2	RR2Y	Pioneer	P01T23R	RR	<a href="#">18</a>	0.3	0.1	3
Market Price		Market Segment		Segment Price Adj.		Adjustment		Total Market Price



\$10.00	Standard	\$0.00	\$0.000	\$10.00
---------	----------	--------	---------	---------

**Territory:** My Territory

**Maximum CRM Difference:** 8

**Minimum # of Comparisons:** 2

**Brand, Product, Technology, CRM:**

Pioneer 900Y81 RR -1, Pioneer P008T22R2 RR2Y -2, Pioneer P01T23R RR 0, Pioneer P03T68R2 RR2Y 3, Asgrow AG00932 RR2Y/SCN -1, Croplan Genetics R2T0085 RR2Y -2, Mycogen 5B007R2 RR2Y -3, Mycogen 5G009R2 RR2Y -1, Pioneer 900Y81 RR -1, Pioneer P008T22R2 RR2Y -2, Pioneer P01T23R RR 0, Pioneer P03T68R2 RR2Y 3

**County(s):**

Becker, Beltrami, Clay, Clearwater, Kittson, Lake Of The Woods, Mahnommen, Marshall, Norman, Pennington, Polk, Red Lake, Roseau, Barnes, Benson, Cass, Cavalier, Dickey, Eddy, Foster, Grand Forks, Griggs, La Moure, Nelson, Pembina, Ramsey, Ransom, Richland, Sargent, Steele, Stutsman, Towner, Traill, Walsh



(1) YIELD = (100 - MOISTURE) x (LBS. OF GRAIN) x (FACTOR) ÷ (HARVESTED LENGTH IN FEET) ÷ (HARVESTED WIDTH IN INCHES). Not applicable if weighed with Yield Monitor. Yield monitor yields are estimates of yield taken from the yield monitor data files. Yield estimate calculations are dependent on the equipment and software manufacturer. Yield estimates from a yield monitor can vary significantly from actual yields of hybrids/varieties at a single point, within areas of a field or in aggregate. Any number of factors such as inappropriate calibration, machine settings, machine dynamics, grain characteristics, temperature, slope, operator error, etc. can impact the accuracy of yield monitor yield estimates. Temperature, rainfall and solar radiation are estimates based on available data from weather stations in the area. Crop growth indices for individual hybrids, including estimates of silking and maturity dates, are produced by the proprietary EnClass® crop growth model using this weather information. Though crop growth indices produced by the model are calibrated based on historical field observations of products, they may not accurately reflect the growth stage at an individual location. Where shown, soil information is provided by Soil Survey Staff, Natural Resources Conservation Service, United States Department of Agriculture. Soil Survey Geographic (SSURGO) Database available online at <http://soildatamart.nrcs.usda.gov>. Information and results contained herein represent the average of all comparisons across the area indicated. Results may not predict future performance and may not be complete. Testing accuracy, area variations and a limited environmental base can give misleading results. Multi-year and multi-location information is a better predictor of future performance. Please use this information as only one component of your product positioning decision.

\*\*\* Since the trait/segment information is derived from each competitor's own product information, DuPont Pioneer makes no representations or warranties as to its accuracy, completeness or suitability.

Segments:

RR - Always follow grain marketing, stewardship practices and pesticide label directions. Varieties with the original Roundup Ready® trait (RR) contain genes that confer tolerance to glyphosate, the active ingredient in Roundup® brand agricultural herbicides. Roundup® brand agricultural herbicides will kill crops that are not tolerant to glyphosate. Roundup® and Roundup Ready® are registered trademarks of Monsanto Technology LLC used under license. Individual results may vary, and performance may vary from location to location and from year to year. This result may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.

STS - Varieties with the DuPont™ STS® gene (STS) are tolerant to certain SU (sulfonyleurea) herbicides. This technology allows post-emergent applications of DuPont™ Synchrony® XP and DuPont™ Classic® herbicides without crop injury or stress (see herbicide product labels). NOTE: A soybean variety with a herbicide tolerant trait does not confer resistance to all herbicides. Spraying herbicides not labeled for a specific soybean variety will result in severe plant injury or plant death. Always read and follow herbicide label directions and precautions for use.

DuPont™, STS®, Synchrony® XP and Classic® are trademarks or registered trademarks of DuPont or its affiliates.

SCN = Displays good to excellent resistance to soybean cyst nematode.

LL = Denotes soybean variety with the LibertyLink® gene available from Pioneer. Varieties with the LibertyLink gene are resistant to Liberty® herbicide

Liberty®, LibertyLink® and the Water Droplet Design are trademarks of Bayer

Insecticide Seed Treatment (IST) indicates an insecticide seed treatment was purchased on the seed. Potential insecticide seed treatments include Gaucho®. Purchased or applied to the seed.

Fungicide Seed Treatment (FST) indicates a fungicide seed treatment was purchased on or applied to the seed prior to planting. Potential fungicide seed treatments may include but are not limited to: Allegiance®, Apron® XL, Maxim®, Apron® Maxx, Apron® Maxx RTA, Captan®, Kickstart®, Protégé®, SoyGard®, Rival®, RTU®, Vitavax 200®, and Stiletto®.

RR2Y - Always follow grain marketing, stewardship practices and pesticide label directions. Varieties with the Genuity® Roundup Ready 2 Yield® (RR2Y) trait contain genes that confer tolerance to glyphosate, the active ingredient in Roundup® brand agricultural herbicides. Roundup® brand agricultural herbicides will kill crops that are not tolerant to glyphosate. Genuity®, Roundup® and Roundup Ready 2 Yield® are registered trademarks of Monsanto Technology LLC used under license. Individual results may vary, and performance may vary from location to location and from year to year. This result may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.

NOTE: A soybean variety with a herbicide resistance trait does not confer resistance to all herbicides. Spraying herbicides not labeled for a specific soybean variety will result in severe plant injury or plant death. Always read and follow herbicide label directions.

Genuity® and Roundup Ready® are registered trademarks used under license from Monsanto Company. Roundup Ready 2 Yield® is a registered trademark of Monsanto Technology LLC used under license.

® Registered trademarks of Agrilience, LLC.

Hybrid and variety responses are variable and subject to any number of environmental, disease and pest pressures. DO NOT USE THIS OR ANY OTHER DATA FROM A LIMITED NUMBER OF TRIALS AS A SIGNIFICANT FACTOR IN PRODUCT SELECTION. Refer to [www.pioneer.com](http://www.pioneer.com) or contact a Pioneer sales representative or authorized dealer for the latest and complete listing of traits and scores for each Pioneer® brand product.

All products are trademarks of their manufacturers.

PIONEER® brand products are provided subject to the terms and conditions of purchase which are part of the labeling and purchase documents. The DuPont Oval Logo is a registered trademark of DuPont. ®, SM, TM Trademarks and service marks of Pioneer. © 2013 PHIL. The services associated with providing this information are provided for the grower's individual evaluation of products and conditional upon the grower agreeing that no part of this document, or information provided in this document, may be shared with any third-party including any third-party seed company. Any reproduction or use of this form, or the data contained herein, without prior written permission of DuPont Pioneer is strictly prohibited.